



### **Product Features:**

**Alluminum alloy black frame**

**Tempered Glass mirror**

Vertical or horizontal hanging

Touch switch on & off


Touch switch dim function &

Lighting temperature selections

### **LED Backlit Mirror**

**Sizes:** 24" x 34", 30" x 36", 48" x 36", 60" x 35", 72" x 38"  
& 88" x 38"

**Model:** Edison M13 series & Egret M16 series



**For easy installation of your Dyconn Mirror please do the following:**

Thoroughly read all instructions before installing the enclosed product.

Read and take note of all safety, care, and maintenance information.

**PLEASE KEEP THIS INSTRUCTION MANUAL FOR FUTURE REFERENCE FOR PRODUCT OPERATION AND MAINTENANCE.**



# Product Description


## Product Features:

- Alluminum alloy black frame
- Shatter resistant mirror
- Can be vertical or horizontal hanging
- Touch switch on & off, Backlit LED on & off
- Touch switch dim function
- HD Mirror glasses, with water repllent coating
- LED lighting with 3 Temperature selections
- (3000K, 4000K or 6400K)


## Package Content:

- LED backlit Mirror
- Screws
- Studs
- Mounting bracket


### Tools you will need:



Phillips Screwdriver



Electronic Driller




I-Beam level

*Warning: Always switch off the electrical supply at the mains during installation and maintenance.*

*Do not switch on the electrical supply at the mains until the end of the installation.*

### Front view



### Front LED button



**LED Dim  
Function**

Press + Hold  
to increase  
brightness

**Color  
Temperature  
Function**

Press to choose  
3 settings



### Backlit LED button

**LED Dim  
Function**


Press + Hold  
to increase  
brightness

**Color  
Temperature  
Function**

Press to choose  
3 settings

# Installation - Horizontal Mounting

## Back view




### IMPORTANT:


First, decide whether you want to hang your mirror *vertically* or *horizontally*. It is advisable to have one more person help you install mirror larger than 48".

## Horizontal Mounting\*


1. Using a I-Beam level to level and mark the desire position on the wall. Drill the hole and secured with the wall stud. (using anchor when its installing on drywall, concrete or Tile surface). Secured the mounting bracket on the wall.



2. Make sure the circuit breaker for the power source of the mirror is off. Use either way to connect electricity. Connect the neutral (White), hot (black), and ground (copper wire or Green) wire between the mirror and the junction box.



3. With both hands holding the mirror, interlock the built in mounting bracket with the mounting bracket accordingly on the wall.
4. Test the mirror.



\* Only one mounting bracket is available, choose either vertical or horizontal mounting.  
 \* All diagrams are for reference only. All model dimensions and proportions will vary.


# Installation - Vertical Mounting

## IMPORTANT:


First, decide whether you want to hang your mirror *vertically* or *horizontally*. It is advisable to have one more person help you install mirror larger than 48".

### Vertical Mounting\*

1. Remove the horizontal mounts on the back of the frame. Line up the holes on the bracket with the holes placed for the vertical mount and screw the bracket in.
2. Follow instructions as Horizontal Mounting\*.



3. With both hands holding the mirror, interlock the built in mounting bracket with the mounting bracket accordingly on the wall.
4. Test the mirror.



# Manufacturer Limited Warranty

All Dyconn Faucet products are manufactured and tested with the highest quality standards and rigorous quality control process. This warranty is limited to the non-commercial use of Dyconn Faucet products purchased and installed in the United States and Canada.

## Dyconn Faucet Brand Limited Warranty on Faucets and Kitchen/Bath Accessories

Dyconn Faucet warrants its faucet products to be free from manufacturing defects in material and workmanship during the normal non-commercial use for a period of three (3) years from the initial purchase date by the original owner/end-user for personal household use. Dyconn Faucet also warrants its part and accessory products to be free from manufacturing defects in material and workmanship during the normal non-commercial use for a period of one (1) year from the initial purchase date by the original owner/end-user for personal household use. This warranty is non-transferable between homes or owners and only applicable for residential use. Any commercial or industrial use of Dyconn Faucet products automatically voids the warranty. Any warranty claim must include the original sales receipt as proof of purchase from an Authorized Dealer or Distributor of Dyconn Faucet products. (Authorized Dealers can be found on the Dyconn Faucet website).

Dyconn Faucet recommends installation of all Dyconn Faucet products by a licensed professional plumber. Dyconn Faucet will not be responsible for any damage or product failure due to improper installation, misuse or the failure to adequately utilize a licensed professional. Proper care and maintenance for all products is standard, like any other household appliance and fixtures to ensure proper function and a lasting product. Instructions are provided in your manual on proper care and maintenance of Dyconn Faucet products.

This warranty will not cover any damages that might be caused by the product. (In some instances States do not allow for such limitations, so this may not apply to all owners).

Any product reported to Dyconn Faucet as defective will be repaired or replaced (with a product of equal value) at the option of Dyconn Faucet. If Dyconn Faucet is not able to replace or repair the product, Dyconn Faucet may elect to refund the original purchase price to the original purchaser in exchange for the return of product. Dyconn Faucet has the full rights to inspect any Dyconn Faucet product reported as defective prior to repair or replacement. Any repair and replacement costs EXCLUDE shipping, labor for removal or re-installation and any consequential or special damages associated with return, replacement and installation of your product. Replacement parts may be obtained by calling **1-855-239-2666** (in the U.S. and Canada), by emailing us at [info@dyconnfaucet.com](mailto:info@dyconnfaucet.com) or writing to:

**Dyconn Faucet – 382 N. Lemon Avenue #122, Walnut, CA 91789**

Dyconn Faucet reserves the rights to modify the warranty at any time, it being understood that any such modifications will not supersede warranty conditions that are applicable at the time of the original sale of products in question.

Though Dyconn Faucet products are certified by various agencies, Dyconn Faucet makes no implication that products comply with any or all local building or plumbing codes. It is the consumer's responsibility to determine any code compliances when installing and using Dyconn Faucet products.

## Limitations of Warranty:

The warranty shall be not apply and be void for incorrect operating procedures, breakages and/or damages caused by fault through improper installation, carelessness, abuse, misuse, misapplication, improper maintenance and alteration of product; damages caused by chemicals, natural corrosion, accident, fire, flood, an act of God, or any casualty. Avoid abrasive cleaners, materials, steel wools and harsh chemicals as these will scratch, damage, and/or dull the products and/or finish of the products and void the warranty. The proper installation of product covered is the responsibility of the original owner/purchaser of the product. Dyconn Faucet neither installs nor supervises the installation nor hires contractors for this purpose; consequently Dyconn Faucet cannot be held responsible for any default breakage, or damages caused thereby or resulting thereof, either directly or indirectly.

This warranty does not apply to Products that have not been installed or operated in accordance with instructions supplied by Dyconn Faucet and all applicable rules, regulations, and legislation pertaining to such installations.

This warranty does not apply to Commercial or Industrial applications of Dyconn Faucet products.

Dyconn Faucet is not responsible or liable for personal injuries or deaths to any person for any direct, special, incidental, or consequential damage, loss of time, loss of profits, inconvenience, incidental expenses, labor or material charges, or any other cost resulting from the use of the product or equipment or pertaining to the application of the present warranty, or resulting from the removal or replacement of any product or element or part covered by this warranty.

In any case, Dyconn Faucet is not liable for any amount over and above the purchase price paid for the Product by the original owner/end-user.

## Cleaning and Care

Care should be exercised when cleaning this product. Although its finish is extremely durable, it can be damaged by harsh abrasives and cleaning pads. To clean, use a light, non-abrasive cleaning solution or cleaning polish.

