



Product Features:

- Make up mirror full brightness output at 6000K.
- 12 X High Power LED Bulbs
- Touch Dimmer switch on lower center with 3 Prong US Plug

Hollywood LED Vanity Mirror

Sizes: 28.3"W x 70.8"H x 2.36" D

Model: HWV37028TW



For easy installation of your Dyconn Mirror please do the following:
Thoroughly read all instructions before installing the enclosed product.
Read and take note of all safety, care, and maintenance information.

PLEASE KEEP THIS INSTRUCTION MANUAL FOR FUTURE REFERENCE FOR PRODUCT OPERATION AND MAINTENANCE.

Product Description & Information

Product Features:


- Make up mirror full brightness output at 6000K.
- 12 X High Power LED Bulbs
- Touch Dimmer switch on lower center with 3 Prong US Plug

Package Content:

- LED backlit Mirror
- Screws
- Studs
- Power Adapter
- Manual

Model: HWV37028TW

Sizes: 28.3"W x 70.8"H x 2.36" D



* All diagrams are for reference only. All model dimensions and proportions will vary.

IMPORTANT WARNING


Warning: Always switch off the electrical supply at the mains during installation and maintenance.

Do not switch on the electrical supply at the mains until the end of the installation.

TOOLS REQUIRED (not included)



Tape Measure




Electronic Drill



Spirit level



Pencil



Philips Screwdriver




Hammer


- This product is fragile and easily breaks with glass, be cautious while fitting or handling to prevent personal injury or damage. If the glass is broken, please stop using it and replace it with the manufacturer. Ensure the mounting surface is dry and strong enough to bear four times the weight of the product for safe fitting.
- Special care should be taken when drilling walls to avoid hidden pipes or electrical cables.
- This product covers the outlet box and the wirings after installation.
- Wipe clean with a soft dry cloth. Never use abrasives or chemical cleaners.
- Please put a soft cushion under the mirror while you take the mirror down from the wall.

Wall hanging Installation

STEP 1 On the back of the mirror, use tape to measure the distance between two hooks




STEP 2 Mark the measured distance on the wall.




STEP 3 Drill the holes at the marks.

STEP 4 Hammer in the expansion tube into the wall.




Wall hanging Installation


STEP 5 Use screwdriver to lock in the screw into the expansion tube.



STEP 6 Carefully hang the mirror on to the holes on the back. You may need another person to assist.



Turn On/ Off



Turn on the light.

Continue to rotate to increase the brightness of the bulb.

Connect the power to use LED Mirror lights.
Disconnect the power to off LED Mirror lights.

Warranty

All Dyconn Faucet products are manufactured and tested with the highest quality standards and rigorous quality control process. This warranty is limited to the non-commercial use of Dyconn Faucet products purchased and installed in the United States and Canada.

Dyconn Faucet Brand Limited Warranty on Faucets and Kitchen/Bath Accessories

Dyconn Faucet warrants its faucet products to be free from manufacturing defects in material and workmanship during the normal non-commercial use for a period of three (3) years from the initial purchase date by the original owner/end-user for personal household use. Dyconn Faucet also warrants its part and accessory products to be free from manufacturing defects in material and workmanship during the normal non-commercial use for a period of one (1) year from the initial purchase date by the original owner/end-user for personal household use. This warranty is non-transferable between homes or owners and only applicable for residential use. Any commercial or industrial use of Dyconn Faucet products automatically voids the warranty. Any warranty claim must include the original sales receipt as proof of purchase from an Authorized Dealer or Distributor of Dyconn Faucet products. (Authorized Dealers can be found on the Dyconn Faucet website).

Dyconn Faucet recommends installation of all Dyconn Faucet products by a licensed professional plumber. Dyconn Faucet will not be responsible for any damage or product failure due to improper installation, misuse or the failure to adequately utilize a licensed professional. Proper care and maintenance for all products is standard, like any other household appliance and fixtures to ensure proper function and a lasting product. Instructions are provided in your manual on proper care and maintenance of Dyconn Faucet products.

This warranty will not cover any damages that might be caused by the product. (In some instances States do not allow for such limitations, so this may not apply to all owners).

Any product reported to Dyconn Faucet as defective will be repaired or replaced (with a product of equal value) at the option of Dyconn Faucet. If Dyconn Faucet is not able to replace or repair the product, Dyconn Faucet may elect to refund the original purchase price to the original purchaser in exchange for the return of product. Dyconn Faucet has the full rights to inspect any Dyconn Faucet product reported as defective prior to repair or replacement. Any repair and replacement costs EXCLUDE shipping, labor for removal or re-installation and any consequential or special damages associated with return, replacement and installation of your product. Replacement parts may be obtained by calling **1-855-239-2666** (in the U.S. and Canada), by emailing us at info@dyconnfaucet.com or writing to:

Dyconn Faucet – 382 N. Lemon Avenue #122, Walnut, CA 91789

Dyconn Faucet reserves the rights to modify the warranty at any time, it being understood that any such modifications will not supersede warranty conditions that are applicable at the time of the original sale of products in question.

Though Dyconn Faucet products are certified by various agencies, Dyconn Faucet makes no implication that products comply with any or all local building or plumbing codes. It is the consumer's responsibility to determine any code compliances when installing and using Dyconn Faucet products.

Limitations of Warranty:

The warranty shall be not apply and be void for incorrect operating procedures, breakages and/or damages caused by fault through improper installation, carelessness, abuse, misuse, misapplication, improper maintenance and alteration of product; damages caused by chemicals, natural corrosion, accident, fire, flood, an act of God, or any casualty. Avoid abrasive cleaners, materials, steel wools and harsh chemicals as these will scratch, damage, and/or dull the products and/or finish of the products and void the warranty. The proper installation of product covered is the responsibility of the original owner/purchaser of the product. Dyconn Faucet neither installs nor supervises the installation nor hires contractors for this purpose; consequently Dyconn Faucet cannot be held responsible for any default breakage, or damages caused thereby or resulting thereof, either directly or indirectly.

This warranty does not apply to Products that have not been installed or operated in accordance with instructions supplied by Dyconn Faucet and all applicable rules, regulations, and legislation pertaining to such installations.

This warranty does not apply to Commercial or Industrial applications of Dyconn Faucet products.

Dyconn Faucet is not responsible or liable for personal injuries or deaths to any person for any direct, special, incidental, or consequential damage, loss of time, loss of profits, inconvenience, incidental expenses, labor or material charges, or any other cost resulting from the use of the product or equipment or pertaining to the application of the present warranty, or resulting from the removal or replacement of any product or element or part covered by this warranty.

In any case, Dyconn Faucet is not liable for any amount over and above the purchase price paid for the Product by the original owner/end-user.

Cleaning and Care

Care should be exercised when cleaning this product. Although its finish is extremely durable, it can be damaged by harsh abrasives and cleaning pads. To clean, use a light, non-abrasive cleaning solution or cleaning polish.

 **DYCONN**